


## Thermomaster UZ socle profile

Product:	Thermomaster UZ socle profile	
Supplier:	MASTERPLAST Kft., 8143 Sárszentmihály, Árpád u. 1/a. (www.masterplastgroup.com)	
Size, packaging:	2m x 25pcs=50m/bundle	
Application:	For the horizontal stop of external thermal insulation systems. Intended to be used before the bonding of the first row of EPS or mineral wool.	
Material:	Perforated, cold-formed aluminium with perforated water-dripping part	

Properties	Relevant standards	Technical data
Length of profile	MDV	200cm (±1cm)
Thickness of profile	MDV	0,6mm (±0,02mm)
Width of profile	MDV	2 - 12 cm

Storage and handling	Under dry conditions, protected against moisture and rain.
----------------------	--

Guarantee, warranty	In accordance with the current legislations and the conditions of the distributor. The observation of the application rules of the product and presentation of the invoice constitute a prerequisite for possible future warranty claims.
---------------------	---

Standards, specifications	ETAG 004, Application guidance of Thermomaster A-02 ETICS (Masterplast Group Zrt.)
---------------------------	--

Health and safety	No labelling required in accordance with the relevant regulation (EC) No. 1907/2006 of the European Parliament and of the Council (REACH).
-------------------	--

This datasheet corresponds the current knowledge on the subject, but may be revised as new knowledge and/or experience becomes available. The product possesses the given technical characteristics. Since all variations of end-using of the product can not be anticipated, the designer/end-user's responsibility to make sure of the suitability of this product for particular purposes, structures.

**\*This technical datasheet is applied to products sold by Masterplast Kft., after 01st January 2010. and valid until withdrawal or until modification.**  
Since this datasheet may be subject to revision, it is the responsibility of designer/end-user to make sure of possessing the latest version of the datasheet (\*see date of issuing). Most recent version of this datasheet can be also accessed under [www.masterplastgroup.com](http://www.masterplastgroup.com).

\*Issued: 2010. 01. 01.