

PRIMER T - ONE COMPONENT, IMPREGNATION ALCOHOLIC SOLUTION CONTAINING ADHESION PROMOTERS.

Is an alcohol-based impregnation, colorless, without yellowing. Specially designed to increase adhesion on nonporous substrates, for uses under DESMOPOL T, transparent and aliphatic polyurethane membrane.

USES

- specially designed to increase adhesion of transparent and aliphatic polyurethane membrane DESMOPOL T.
- to apply on non-porous substrates such as vitrified tiles, ceramic, marble ...
- on other supports than those specified, please make a test or consult our technical department.

NOTE: call our technical department about the application to other supports or situations

dry time at 23ºC	10~15 minutes
application method	use a wet rag
specific weight at 23°C	0,83 g/cm ³
viscosity at 23ºC	40 cps
VOC(volatile organic compounds)	823,1 g/l
flashpoint	42°C



COLORS

Transparent

GENERAL FEATURES



PRIMER T v.16-07-2018

2/3

- Apply in thin layers using a wet rag. Approx. consumption 60 g/m²
- No dilution with any kind of solvent.
- In different supports, specified, do a previous test.
- It requires smooth, clean and dry surface without residual moisture
- Drying time: 10-15 minutes, before applying the membrane aliphatic and transparent DESMOPOL T.
- Do not apply on substrates with existing moisture/ humidity or contact with water from the inside of the support (possible phreatic water, condensation, leaks ...).

PACKAGING

Metal tins of 4 kg.



SHELF LIFE

12 months for each product at temperatures between 5° C and 35° C, provided it is stored in a dry place. Once the tin has been opened, the product must be used immediately.

HANDLING AND TRANSPORT

These safety recommendations for handling, are necessary for the implementation process as well as in the pre and post, on exposure to the loading machinery.

- Respiratory Protection: When handling or spraying use an air-purifying respirator.
- Skin protection: Use rubber gloves, remove immediately after contamination. Wear clean body-covering. Wash thoroughly with soap and water after work and before eating, drinking or smoking.
- Eye / Face: Wear safety goggles to prevent splashing and exposure to particles in the air.
- Waste: Waste generation should be avoided or minimized. Incinerate under controlled conditions in accordance with local laws and national regulations.

Anyway, consult the material and safety data sheet of the product(MSDS) or contact our technical department.

The information herein is to assist customers in determining whether our products are suitable for their applications. Our products are only intended for sale to industrial and commercial customers. Customer assumes full responsibility for quality control, testing and determination of suitability of products for its intended application or use.

We warrant that our products will meet our written liquid component specifications. We make no other warranty of any kind, either express or implied, by fact or law, including any warranty of merchantability or fitness for a particular purpose. Our total liability and customers' exclusive remedy for all proven claims is replacement of nonconforming product and in no event shall we be liable for any other damages. While descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, they are provided for guidance only. Because many factors may affect processing or application/ use, Tecnopol Sistemas S.L recommends that the reader make tests to determine the suitability of a product for a particular purpose prior to use.

No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data or information may be sued without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of Tecnopol Sistemas S.L terms and conditions of sale. Further the descriptions, designs, data, and information furnished by Tecnopol Sistemas S.L hereunder are given gratis and Tecnopol Sistemas S.L assumes no obligation or liability for the description, designs, data or information given or results obtained, all such being given and accepted at the reader's risk. All data furnished refers to standard production using manufacturing testing tolerances. The product user, and not Tecnopol Sistemas S.L, is responsible for determining the suitability and compatibility of our products for the user's intended use.

Liability of Tecnopol Sistemas and its affiliates for all claims is limited to the purchase price of the material.

Products may be toxic and require special precautions in handling. User should obtain detailed information on toxicity, together with proper shipping, handling and storage procedures, and comply with all applicable safety and environmental standards.

No freedom from any patents or other industrial or intellectual property rights is granted or to be inferred.

